

# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20131202-EX1715  
**Report Reference** EX1715-19890914  
**Issue Date** 2013-DECEMBER-02

**Issued to:** ELKHART BRASS MFG CO INC  
1302 W BEARDSLEY AVE  
PO BOX 1127  
ELKHART IN 46515


**This is to certify that representative samples of** FIRE DEPARTMENT CONNECTIONS  
See Addendum Page For Models

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

**Standard(s) for Safety:** UL 405, UL Standard for Fire Department Connection Devices.

**Additional Information:** See the UL Online Certifications Directory at [www.ul.com/database](http://www.ul.com/database) for additional information

Only those products bearing the UL Listing Mark should be considered as being covered by UL's Listing and Follow-Up Service.

The UL Listing Mark generally includes the following elements: the symbol UL in a circle:  with the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.



William R. Carney, Director, North American Certification Programs  
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at [www.ul.com/contactus](http://www.ul.com/contactus)



# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20131202-EX1715  
**Report Reference** EX1715-19890914  
**Issue Date** 2013-DECEMBER-02

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

## Fire Department Connections

### Exposed Type

Model	Pattern	Size (in.)	Rated Pressure (psig)
10	90 Degree	2-1/2 x 2-1/2 x 4	175
15	90 Degree	2-1/2 x 2-1/2 x 4	175
11	Straightway	2-1/2 x 2-1/2 x 4	175
12	Straightway	2-1/2 x 2-1/2 x 4	175
156	Straightway	2-1/2 x 2-1/2 x 4	175
710	Straightway	3 x 3 x 3 x 3 x 6	175
711	90 Degree	3 x 3 x 3 x 3 x 6	175
720	Straightway	2-1/2 x 3	175
721	Straightway	2-1/2 x 3	175

### Flush Type

Model	Pattern	Size (in.)	Rated Pressure (psig)
166	Straightway	2-1/2 x 2-1/2 x 4	175
711	90 Degree	3 x 3 x 3 x 3 x 6	175
780	90 Degree	2-1/2 x 2-1/2 x 2-1/2 x 2-1/2 x 6	175
781	90 Degree	2-1/2 x 2-1/2 x 2-1/2 x 2-1/2 x 6	175
782	Straightway	2-1/2 x 2-1/2 x 2-1/2 x 2-1/2 x 6	175
783	Straightway	2-1/2 x 2-1/2 x 2-1/2 x 2-1/2 x 6	175



William R. Carney, Director, North American Certification Programs  
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at [www.ul.com/contactus](http://www.ul.com/contactus)

