

CERTIFICATE OF COMPLIANCE

Certificate Number 20131202-EX1715
Report Reference EX1715-19890914
Issue Date 2013-DECEMBER-02

Issued to: ELKHART BRASS MFG CO INC
1302 W BEARDSLEY AVE
PO BOX 1127
ELKHART IN 46515


This is to certify that representative samples of FIRE DEPARTMENT CONNECTIONS
See Addendum Page For Models

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 405, UL Standard for Fire Department Connection Devices.

Additional Information: See the UL Online Certifications Directory at www.ul.com/database for additional information

Only those products bearing the UL Listing Mark should be considered as being covered by UL's Listing and Follow-Up Service.

The UL Listing Mark generally includes the following elements: the symbol UL in a circle:  with the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.



William R. Carney, Director, North American Certification Programs
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus



CERTIFICATE OF COMPLIANCE

Certificate Number 20131202-EX1715
Report Reference EX1715-19890914
Issue Date 2013-DECEMBER-02

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Fire Department Connections

Exposed Type

Model	Pattern	Size (in.)	Rated Pressure (psig)
10	90 Degree	2-1/2 x 2-1/2 x 4	175
15	90 Degree	2-1/2 x 2-1/2 x 4	175
11	Straightway	2-1/2 x 2-1/2 x 4	175
12	Straightway	2-1/2 x 2-1/2 x 4	175
156	Straightway	2-1/2 x 2-1/2 x 4	175
710	Straightway	3 x 3 x 3 x 3 x 6	175
711	90 Degree	3 x 3 x 3 x 3 x 6	175
720	Straightway	2-1/2 x 3	175
721	Straightway	2-1/2 x 3	175

Flush Type

Model	Pattern	Size (in.)	Rated Pressure (psig)
166	Straightway	2-1/2 x 2-1/2 x 4	175
711	90 Degree	3 x 3 x 3 x 3 x 6	175
780	90 Degree	2-1/2 x 2-1/2 x 2-1/2 x 2-1/2 x 6	175
781	90 Degree	2-1/2 x 2-1/2 x 2-1/2 x 2-1/2 x 6	175
782	Straightway	2-1/2 x 2-1/2 x 2-1/2 x 2-1/2 x 6	175
783	Straightway	2-1/2 x 2-1/2 x 2-1/2 x 2-1/2 x 6	175



William R. Carney, Director, North American Certification Programs
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus

